DEPARTMENT OF MINES AND ENERGY SOUTH AUSTRALIA

REPT. BK. NO. 89/47

PALYNOLOGICAL DATING OF THE CRETACEOUS SECTION IN MAGGEA PN128761 WELL, SOUTHERN BERRI EMBAYMENT

NEVILLE F. ALLEY

BIOSTRATIGRAPHY BRANCH

JULY, 1989 DME ENV. 97/83

DEPARTMENT OF MINES AND ENERGY SOUTH AUSTRALIA

REPT. BK. NO. 89/47 DME NO. 97/83 BIOSTRAT. NO. 9/89 DISK NO. E00096

TITLE: PALYNOLOGICAL DATING OF THE CRETACEOUS SECTION

IN MAGGEA PN128761 WELL, SOUTHERN BERRI

EMBAYMENT

AUTHOR: Neville F. Alley

Biostratigraphy Branch

BOREHOLE: Maggea 1 Well

SAMPLE DATA:

Branch No: S6168, S6167, S6166, S6165, S6164

Depth (metres): 202-204, 210-212, 216-218, 226-228, 228-230

Type of samples: Cuttings Lithology: Claystone

Submitter: S.R. Barnett, Groundwater

LOCATION:

General location: Maggea township Mapsheet: RENMARK

STRATIGRAPHIC INFORMATION:

Stratigraphic unit: Merreti Member
Geological Province: Berri Embayment
Rock Sample (RS) no.: 6929/RS37 to RS33

Borehole unit no.: 6929/423

ANALYTICAL DATA:

Laboratory technique: Standard with 10 um sieve Microscope used: Zeiss Photomicroscope III

Palynomorphs counted: None undertaken because of downhole contamination, including from the

overlying Tertiary section

RESULTS:

Zonation:

Cyclosporites hughesii spore/pollen zone and Odontochitina operculata dinoflagellate zone of Helby et al.

(1987).

Zonal Species and Associates Present or Absent:

Spores <u>Foraminisporis asymmetricus</u> present and <u>Crybelosperites striatus</u> absent; dinoflagellates <u>Odontochitina operculata</u> present and <u>Pseudoceratium turneri</u> absent.

Age:

Early Cretaceous (Early to Middle Aptian)

Palaeoenvironment:

Shallow water marine

Other Comments:

The lowest two samples contain the greatest diversity in dinoflagellates suggesting that deeper water conditions prevailed during deposition of this part of the Cretaceous unit.

Rare reworked Permian pollen and spores are also present in the lowest two samples.

This occurrence of Cretaceous sediment marks the most southerly found so far in the Berri Embayment.

REFERENCES:

Helby, R., Morgan, R. and Partridge, A.D., 1987. A palynological zonation of the Australian Mesozoic. <u>In</u>. Jell P.A. (Ed.), Studies in Australian Mesozoic Palynology. Association of Australian Palaeontologists Memoir 4: 1-94.