Open File Envelope No. 12,870

EL 4830

MULGA WELL

ANNUAL REPORTS AND FINAL REPORT TO LICENCE EXPIRY/SURRENDER, FOR THE PERIOD 20/1/2012 TO 19/1/2016

Submitted by
IShine International Resources Limited
2016

© 26/4/2016

This report was supplied as part of the requirement to hold a mineral or petroleum exploration tenement in the State of South Australia. The Department of State Development accepts no responsibility for statements made, or conclusions drawn, in the report or for the quality of text or drawings.
This report is subject to copyright. Apart from fair dealing for the purposes of study, research, criticism or review as permitted under the Copyright Act, no part may be reproduced without written permission of the Executive Director of the Department of State Development Resources and Energy Group, GPO Box 320, Adelaide, SA 5001.

Enquiries: Customer Services
Resources and Energy Group
7th Floor
101 Grenfell Street, Adelaide 5000

Telephone: (08) 8463 3000
Facsimile: (08) 8204 1880

Government of South Australia
Department of State Development

SCHEDULE A



SCALE 1 : 250 000

4 0 4 8 12 16 20

Kilometres

GDA GEOCENTRIC DATUM OF AUSTRALIA

LICENCE BOUNDARIES IN : DATUM AGD66

LOCALITY



APPLICANT : **ISHINE INTERNATIONAL RESOURCES LIMITED**

FILE REF : **2010/00234** TYPE : **MINERAL ONLY**

AREA : **309** sq km (approx)

1 : 250 000 MAPSHEETS : **GAIRDNER**

LOCALITY : **MULGA WELL AREA -**
Approximately 110 km ESE of Tarcoola

DATE GRANTED: **20-Jan-2012** DATE EXPIRED: **19-Jan-2013** EL NO: **4830**

Sunshine Alliance Resources Pty. Ltd.
ACN: 143 128 232 ABN: 68 143 128 232

L1/125 Carrington Street
Adelaide, SA 5000 Australia

Phone: +61 8 8223 5018
Fax: +61 8 8223 5078
Admin@sarpl.com.au

Nella Petruzzella

EL Reporting Officer
Mineral Resources Division
Department for Manufacturing, Innovation, Trade, Resources and Energy (DMITRE)

GPO Box 1264, ADELAIDE SA 5001
PH: 08 8463 3060 FAX: 08 8463 3101
Email: DMITRE.Exploration@sa.gov.au

Date: 18/03/2013

Dear Nella,

Please check below listed exploration tenements,

Date:	18-Mar-13
Reporting Period:	20/01/2012 - 19/01/2013
Tenements:	EL 4829, EL 4830, EL 4831, EL 4832, EL 4833, EL 4834, EL 4835
Licensee:	Ishine international resources limited

During the reporting period 20/01/2012 to 19/01/2013, there was no field work performed. Main activities were carried including Geological reviews, Geophysical interpretation, Native title consulting, and 5 days site logistical inspection for EL 4831, EL 4832, EL 4833, EL 4834, and EL 4835.

In the next licence period, Ishine International resources limited will carry on the work to get native title agreement with relative parties, and also schedule to do geochemical survey, and airborne magnetic survey, when they finish the proposed geochemical and geophysical projects, drilling projects will be arranged according the geochemical and geophysical results.

Should you have any question please do not hesitate to contact me.

Kind Regards

Trin Fang

Project Manager

Sunshine Alliance Resources Pty. Ltd.
ACN: 143 128 232 ABN: 68 143 128 232

L1/125 Carrington Street
Adelaide, SA 5000 Australia

Phone: +61 8 8223 5018
Fax: +61 8 8223 5078
Admin@sarpl.com.au

Nella Petruzzella

EL Reporting Officer
Mineral Resources Division
Department for Manufacturing, Innovation, Trade, Resources and Energy (DMITRE)

GPO Box 1264, ADELAIDE SA 5001
PH: 08 8463 3060 FAX: 08 8463 3101
Email: DMITRE.Exploration@sa.gov.au

Date: 27/02/2014

Dear Nella,

Please check below listed exploration tenements,

Reporting Period:	20/01/2013 - 19/01/2014
Tenements:	EL 4830
Licensee:	Ishine International Resources Limited

During the reporting period 20/01/2013 to 19/01/2014, there was no field work performed on above tenement. Main activities were carried including Geological reviews, Geophysical interpretation, and internal project planning with joint venture partners.

Should you have any question please do not hesitate to contact me.

Kind Regards

Trin Fang

Project Manager

興盛國際 Ishine

Ishine International Resources Ltd

Ishine International Resources Ltd
149/311 Hay Street
East Perth WA 6004
Tel: (08) 6142 5088

Nella Petruzzella
EL Reporting Officer
Mineral Resources Division
Department for Manufacturing, Innovation, Trade, Resources and Energy (DMITRE)
GPO Box 1264, ADELAIDE SA 5001
PH: 08 8463 3060 FAX: 08 8463 3101
Email: DMITRE.Exploration@sa.gov.au

Date:	10/04/2015
Reporting Period:	18/01/2014 - 19/01/2015
Tenements:	EL 4830
Licensee:	Ishine International Resources Ltd

During the reporting period 18/01/2014 to 19/01/2015, Ishine with our joint venture partner conducted field reconnaissance and field works on above tenement. Main activities were carried including field mapping, rock samples collecting and field geophysical survey. Because we currently still work on those activates and all the details will be on the next annual technical report.

Should you have any question please do not hesitate to contact me.

Kind Regards,

Bing Hu
Project Manager

EL4830-Mulga Well

Final Annual Technical Report

20th January 2015 to 19th January 2016

興盛國際
Ishine

Title:	Annual Technical Report for EL4830 – Mulga well for the period ending 19/01/2016
Holder:	Ishine International Resources Ltd
Operator:	Ishine International Resources Ltd
Author:	Bing Hu
Date:	15/04/2016
Distribution：	1. Ishine International Resources Ltd 2. PIRSA

SUMMARY

EL 4830 –Mulga well area lies around 110km ESE of Tarcoola. The EL4830 was granted to Ishine International Resources Limited on 20/01/2012.

Ishine International Resources is targeting strata bound sandstone units for sediment-hosted copper, Zinc, Lead mineralization. The company geologists continued to collect the former work information, and designed to do 1:50 000 geological mapping, 1:50 000 high accuracy magnetic survey, and 1: 200 000 soil sampling survey. After reconnaissance site visits, the geologists recognized that the tenement outcrop is poor, and stream is not developed, Geologists designed soil sampling though the better outcrop area.

By the reporting date, Ishine International Resources has collected 536 soil samples and was analyzed by the Laboratory.

CONTENTS

SUMMARY 1

1.0 Location and Access 3

2.0 Tenement Details 4

3.0 Geology 4

4.0 Exploration 5

5.0 Geochemistry 5

LIST OF FIGURES

Figure 1 Tenement Location……..…3

Figure 3 Tenement Details……4

1.0 Location and Access

The EL 4830 Mulga Well is located approximately 200 km north-west of Port Augusta along the Stuart Highway and Railway near the township of Glendambo (Figure1). It covers an area of 309 square kilometres of arid, flat lying land consisting of low lying sand ridges and little vegetation.



Figure 1 Tenement Location

2.0

Tenement Details

Details of EL4830 are tabulated below and shown in Figure 2.

Project	Tenement	Registered Holders	Grant Date	Expiry date	Sub-blocks	Area (km2)
Mulga Well	EL4830	Ishine International Resources Ltd	20/01/2012	19/01/2016	Nill	309

3.0 Geology

The geological setting of the tenement is in the central Gawler Craton of South Australia, a region that hosts the Olympic Dam IOCG-U deposit. The Craton is generally considered to be under-explored and there is good potential for new discoveries of IOCG-U style deposits and Palaeochannel Uranium deposits.

The Gawler Craton and the Stuart Shelf dominate the geology of southwestern South Australia. Both geological domains are known to host significant mineralisation in various styles and covering a diverse range of commodities.

The Gawler Craton comprises late-Archaean to Mesoproterozoic rocks, with overlying early Mesoproterozoic rocks of the Gawler Range Volcanics and Pandurra Sandstone. The craton comprises orthogneiss, paragneiss, granulite, amphibolite, granitoids (various suites noted), mafic-ultramafic greenstone belts (and related sedimentary basins). The sequences noted are divided into a number of domains, based on age and geological attributes.

4.0 Exploration

During the reporting period, Ishine International resources conducted desktop studies to review of exploration; re-interpretation of gravity and magnetic. Several field trips were undertaken to field for reconnaissance. The exploration works including designed 1:50 000 geological mapping, 1:50 000 high accuracy magnetic survey, and 1: 200 000 soil sampling survey.

5.0 Geochemistry

A total of 536 soil samples were collected in the tenement, all soil samples were submitted to the Laboratory for analysis, FA50/AA, 4AB/OE and 4AB/MS technique for 12 elements (As, Sb, Hg, Bi, Pb, Sn, Mo, Cu, Ag, Zn, W, Au). The soil samples Result enclosed in Appendix 1.

Sample Number	As	Sb	Hg	Bi	Pb	Sn	Mo	Cu	Ag	Zn	W	Au
	(10^{-6})	(10^{-6})	(10^{-9})	(10^{-6})	(10^{-6})	(10^{-6})	(10^{-6})	(10^{-6})	(10^{-6})	(10^{-6})	(10^{-6})	(10^{-9})
P0-100	1.96	0.16	8.9	0.15	11.9	1.90	0.48	6.3	0.036	31.6	0.53	0.44
P0-102	6.91	0.31	9.4	0.20	12.9	2.46	0.90	7.9	0.047	37.1	0.88	0.54
P0-104	2.58	0.15	9.5	0.15	12.7	2.58	0.58	6.0	0.050	28.6	0.76	0.48
P0-106	3.27	0.22	9.7	0.16	12.0	1.73	0.50	6.2	0.036	29.2	0.79	0.40
P0-108	2.25	0.14	8.5	0.14	11.4	2.26	0.56	5.7	0.044	26.2	0.87	0.71
P0-110	1.88	0.14	11.3	0.14	12.1	2.32	0.58	5.9	0.041	22.7	0.85	0.56
P0-112	1.93	0.13	10.4	0.14	11.0	1.96	0.50	7.6	0.034	24.9	0.65	1.31
P0-116	2.39	0.50	10.6	0.15	13.1	2.44	0.55	6.7	0.037	24.6	0.54	0.49
P0-118	2.17	0.13	9.7	0.17	12.0	2.80	0.80	7.0	0.061	57.5	0.86	0.39
P0-120	2.49	0.13	12.4	0.20	10.4	1.84	0.51	8.6	0.046	29.7	0.86	0.54
P0-122	1.92	0.17	10.8	0.17	13.2	3.42	0.76	6.7	0.048	26.6	0.89	1.60
P0-124	5.62	0.51	11.3	0.15	12.9	2.86	0.74	8.6	0.056	38.9	0.91	0.48
GRD-5	9.00	0.55	9.7	0.19	12.4	1.80	3.23	25.8	0.065	56.8	0.88	1.63
P0-126	2.12	0.41	11.9	0.15	13.3	2.42	0.70	8.5	0.049	40.3	0.51	0.91
P0-128	2.06	0.14	12.0	0.15	12.2	3.30	0.73	8.0	0.054	35.6	0.88	0.62
P0-130	1.89	0.13	10.7	0.13	12.2	2.05	0.59	6.2	0.041	25.4	0.85	0.47
P0-132	1.91	0.19	11.5	0.13	12.9	3.16	0.59	7.6	0.044	30.3	0.87	0.40
P0-134	1.63	0.19	10.5	0.13	12.9	2.67	0.56	7.8	0.043	28.1	0.86	1.22
P0-136	1.67	0.53	10.4	0.15	12.2	2.21	0.55	6.3	0.036	23.7	0.52	0.40
P0-138	1.46	0.16	11.2	0.23	13.1	2.23	0.63	6.0	0.057	23.4	0.93	0.50
P0-140	1.92	0.15	11.0	0.42	12.2	2.33	0.66	7.6	0.043	30.5	0.90	0.59
P0-142	2.02	0.22	11.1	0.17	12.3	2.04	0.56	6.3	0.037	28.3	0.88	0.48
P0-144	2.25	0.21	11.3	0.21	15.7	2.78	0.69	7.6	0.067	36.9	0.89	0.39
P0-146	2.11	0.17	10.9	0.16	12.4	2.89	0.74	7.5	0.060	28.5	0.91	0.40
P0-150	2.06	0.17	12.4	0.18	12.8	2.54	0.63	9.5	0.053	41.0	0.90	1.33
GRD-6	14.94	1.21	16.9	0.53	217.2	2.67	1.02	124.6	0.130	191.7	1.90	5.77
P0-152	2.49	0.22	11.2	0.21	17.9	2.95	0.85	8.8	0.059	38.1	1.02	0.68
P0-154	2.86	0.17	10.6	0.20	12.1	2.81	0.70	7.8	0.045	27.2	0.86	0.76

P0-156	3.29	0.23	11.1	0.18	13.2	2.07	0.79	7.0	0.046	25.3	0.92	0.37
P0-158	3.25	0.25	11.1	0.17	14.2	3.15	0.93	7.1	0.064	25.6	0.96	0.40
P0-160	2.68	0.20	10.0	0.17	13.5	1.96	0.52	6.3	0.034	27.5	1.03	0.67
P0-162	2.17	0.20	10.7	0.17	13.4	2.25	0.70	5.7	0.044	25.2	0.99	0.52
P0-164	5.28	0.26	11.7	0.20	14.1	16.31	0.83	7.1	0.044	23.7	1.05	0.62
P0-166	5.32	0.37	10.9	0.21	16.8	2.30	0.64	7.0	0.038	33.0	1.11	0.38
P0-168	2.64	0.18	9.0	0.15	12.4	2.38	0.70	8.2	0.048	30.6	1.29	1.11
P0-172	2.62	0.15	10.5	0.19	12.7	1.99	0.57	8.5	0.039	26.0	0.86	0.58
P0-174	2.53	0.27	11.4	0.21	12.8	2.19	0.63	8.0	0.045	32.8	0.87	0.95
P0-176	3.06	0.40	11.4	0.16	13.4	2.39	0.70	8.5	0.042	34.2	0.97	0.95
GRD-35	5.97	0.50	19.4	0.20	11.0	2.26	1.15	26.3	0.044	54.2	1.62	10.38
P0-180	2.56	0.15	11.1	0.45	12.6	2.97	0.77	6.7	0.047	22.2	0.98	0.62
P0-182	3.67	0.23	10.7	0.18	12.3	2.02	0.59	7.1	0.040	23.1	1.18	0.43
P0-184	3.53	0.23	9.4	0.17	11.8	2.41	0.84	6.1	0.041	20.3	1.16	0.38
P0-186	2.12	0.14	9.6	0.14	12.4	2.71	0.86	6.8	0.070	23.0	1.30	0.47
P0-188	2.34	0.20	10.4	0.16	12.2	1.81	0.66	6.0	0.036	22.3	1.08	0.42
P0-190	2.08	0.19	10.9	0.16	11.9	2.99	0.94	6.3	0.047	22.6	1.36	0.38
P0-192	2.56	0.20	11.4	0.17	12.4	2.74	0.97	6.6	0.065	19.3	1.58	0.39
P0-196	2.58	0.22	12.4	0.19	12.8	1.80	0.79	6.6	0.029	19.7	1.27	0.39
P0-200	3.09	0.14	11.5	0.15	12.8	1.63	0.81	11.3	0.054	26.0	0.94	0.77
P0-202	3.33	0.12	11.3	0.14	8.6	1.45	0.58	13.3	0.051	27.9	0.86	0.78
P0-204	1.62	0.17	11.9	0.14	14.2	3.28	0.90	6.1	0.060	20.3	1.48	0.47
P0-206	2.04	0.17	12.8	0.13	13.1	2.26	0.88	7.0	0.037	24.4	1.54	0.40
GRD-53	24.34	1.51	26.0	0.34	22.5	2.43	1.08	26.9	0.074	65.6	2.01	1.74
P0-208	3.00	0.17	16.5	0.13	11.5	1.90	0.85	10.6	0.058	25.9	1.07	0.96
P0-210	2.92	0.17	17.1	0.15	12.4	1.21	0.45	17.9	0.097	30.3	0.98	1.91
P0-212	1.55	0.14	13.6	0.14	16.8	3.66	1.16	7.2	0.056	20.2	1.33	0.56
P0-216	1.77	0.17	13.1	0.13	18.2	4.19	1.23	11.2	0.055	23.1	1.67	1.17
P0-218	9.47	0.59	16.2	0.28	17.7	3.04	1.42	7.7	0.058	20.0	2.53	0.49
P0-220	13.79	0.73	15.7	0.35	23.2	2.88	2.06	6.9	0.056	19.9	2.81	0.59
P0-222	14.41	0.74	13.2	0.36	22.5	2.84	1.24	6.8	0.062	18.9	2.60	0.45
P0-224	21.09	1.08	12.6	0.53	23.5	2.88	2.84	7.9	0.054	21.8	2.07	0.54
P0-226	23.20	1.16	17.2	0.51	24.5	2.83	1.93	11.6	0.055	29.4	2.27	0.47
P0-230	16.60	0.95	12.8	0.48	26.2	2.01	1.63	10.6	0.061	22.7	2.63	0.61
P0-234	20.14	0.99	15.4	0.50	29.3	2.56	1.85	12.8	0.048	24.2	2.39	0.39
P0-236	17.89	0.88	14.9	0.51	20.7	2.96	1.96	13.0	0.050	27.4	2.06	0.52
GRD-5	10.14	0.61	8.4	0.21	12.5	1.57	3.08	27.5	0.067	61.7	1.05	5.85
P0-238	14.18	0.89	13.3	0.57	16.2	1.99	1.44	11.1	0.069	22.4	2.07	0.43
P0-242	16.98	0.99	13.4	0.62	19.1	1.94	1.23	11.6	0.188	21.7	1.76	0.47
P0-244	18.64	0.83	16.7	0.46	17.2	2.46	1.58	12.1	0.041	23.7	1.75	0.39
P0-246	15.46	0.87	12.6	0.46	19.8	2.35	2.15	10.9	0.062	23.5	1.98	0.48
P0-248	14.20	0.91	12.7	0.57	20.1	2.80	2.00	14.0	0.061	22.4	1.70	0.43
P0-250	8.92	0.21	13.7	0.15	12.4	0.89	0.80	18.3	0.046	32.1	0.87	0.77
P0-252	5.88	0.18	21.9	0.15	10.8	1.53	0.78	13.3	0.056	24.9	0.94	1.15
P0-254	4.54	0.13	14.0	0.12	12.3	3.54	1.16	10.4	0.049	21.4	1.91	2.13
P0-256	3.95	0.11	13.3	0.11	12.1	4.36	0.94	10.4	0.051	19.6	0.92	1.87
P0-258	3.34	0.13	13.7	0.13	12.8	3.97	1.71	8.7	0.055	14.7	3.79	1.33

P0-260	3.58	0.11	16.8	0.14	15.3	3.33	1.29	12.0	0.053	23.5	2.24	1.78
P0-262	6.16	0.12	12.0	0.13	12.5	3.16	1.11	14.9	0.066	28.6	1.42	1.68
GRD-6	15.05	1.14	16.3	0.49	197.9	2.77	1.07	125.8	0.147	200.0	1.72	10.88
P0-264	5.10	0.19	12.7	0.13	14.9	2.09	0.95	22.3	0.062	37.4	1.35	1.36
P0-266	5.59	0.21	12.1	0.16	14.4	1.49	0.67	23.7	0.037	36.2	1.61	1.46
P0-268	6.21	0.50	12.6	0.33	23.1	2.78	1.58	16.1	0.060	31.4	2.59	0.40
P0-270	6.32	0.37	11.0	0.22	21.8	2.92	1.09	9.3	0.046	29.2	1.65	0.42
P0-272	6.06	0.33	13.0	0.20	19.0	1.91	0.88	11.0	0.041	21.0	1.94	0.38
P0-274	4.68	0.20	12.7	0.15	12.2	2.05	1.05	10.1	0.042	22.2	0.92	0.67
P0-276	3.78	0.17	15.0	0.14	12.0	2.34	0.87	9.3	0.051	17.5	1.30	0.46
P0-278	3.94	0.35	10.6	0.19	13.6	2.38	0.90	12.4	0.032	28.7	1.18	0.55
P0-280	4.28	0.24	10.6	0.19	12.8	2.53	0.96	12.3	0.054	19.8	1.89	0.66
P0-282	1.92	0.13	16.6	0.13	12.7	1.93	1.14	14.2	0.047	23.9	2.10	0.61
P0-284	0.83	0.12	30.3	0.12	11.9	3.09	1.03	12.0	0.049	17.4	3.27	0.50
P0-286	1.50	0.14	19.9	0.13	12.3	3.53	1.07	13.0	0.077	33.4	0.79	0.73
GRD-35	6.22	0.50	17.8	0.19	14.2	2.69	0.86	27.4	0.044	57.6	1.35	1.78
P0-288	1.98	0.15	18.4	0.15	11.8	3.43	1.12	13.1	0.070	30.8	1.10	0.54
P0-290	2.16	0.12	30.1	0.12	13.8	3.17	1.05	12.7	0.045	21.0	1.75	0.73
P0-294	1.73	0.12	10.0	0.12	11.6	2.17	0.80	5.3	0.048	16.3	0.63	0.57
P0-296	1.90	0.11	10.6	0.12	9.9	1.66	0.55	4.1	0.032	10.9	0.88	0.50
P0-298	2.60	0.14	9.2	0.14	12.0	2.58	0.63	4.9	0.033	18.5	0.92	0.61
P0-300	1.68	0.12	9.2	0.11	11.3	2.82	0.73	4.3	0.045	13.4	0.64	0.39
P5-110	2.93	0.15	10.4	0.15	12.6	2.78	0.89	5.8	0.042	16.2	0.96	0.40
P5-112	3.19	0.14	9.6	0.13	12.5	1.58	0.41	5.8	0.035	15.2	0.88	0.82
P5-114	3.13	0.18	10.2	0.14	12.8	2.74	0.75	6.1	0.034	14.6	1.60	0.43
P5-116	2.70	0.12	9.3	0.14	12.4	2.42	0.70	5.7	0.038	16.9	0.48	0.38
P5-118	2.27	0.15	9.4	0.13	12.3	1.96	0.70	5.3	0.040	14.4	0.89	0.40
P5-120	2.93	0.14	10.0	0.20	12.1	2.41	0.72	5.3	0.042	13.8	0.90	0.44
GRD-53	26.10	1.51	26.0	0.34	19.4	2.30	1.12	26.3	0.077	63.1	1.76	5.98
P5-122	2.68	0.15	10.1	0.15	12.3	2.30	0.63	6.0	0.044	15.4	0.58	0.57
P5-124	2.54	0.12	8.1	0.15	11.3	1.80	0.59	5.4	0.033	15.4	0.92	0.46
P5-126	2.70	0.12	10.4	0.13	11.7	1.94	0.68	6.8	0.040	20.7	0.97	0.39
P5-128	2.25	0.12	8.9	0.14	11.7	1.89	0.53	5.9	0.029	18.2	0.50	0.47
P5-130	2.59	0.12	9.9	0.15	11.8	1.78	0.65	6.6	0.042	21.4	0.90	0.48
P5-132	2.79	0.24	9.5	0.13	11.9	1.87	0.64	7.9	0.046	20.8	0.88	0.83
P5-134	2.48	0.14	10.3	0.13	8.6	1.47	0.46	7.3	0.040	18.5	0.92	1.04
P5-136	1.72	0.12	9.8	0.12	11.6	2.36	0.53	5.5	0.038	16.9	0.97	0.62
P5-138	1.54	0.12	8.9	0.11	11.1	1.93	0.57	5.5	0.038	16.7	0.73	0.56
P5-140	1.48	0.13	9.0	0.11	10.5	2.19	0.65	5.1	0.047	13.1	0.99	0.39
P5-142	1.43	0.11	9.3	0.11	9.1	1.59	0.40	5.1	0.032	12.9	0.88	0.51
P5-144	1.56	0.11	8.9	0.11	10.7	1.78	0.64	4.7	0.045	14.0	0.48	0.53
GRD-5	8.93	0.51	8.3	0.20	12.3	1.79	3.86	27.5	0.064	62.6	1.03	11.03
P5-146	1.33	0.10	9.2	0.11	10.4	1.55	0.51	5.9	0.036	15.7	0.90	0.40
P5-148	1.77	0.11	9.3	0.12	11.3	1.62	0.77	6.5	0.039	16.4	0.90	0.97
P5-150	1.98	0.12	9.8	0.11	10.1	1.73	0.54	6.2	0.039	17.2	0.64	0.80
P1-100	2.33	0.11	14.7	0.11	12.3	3.78	1.22	13.7	0.046	19.6	1.67	1.41
P1-102	2.34	0.17	11.8	0.14	15.7	2.57	0.99	10.4	0.059	40.1	1.29	0.75

P1-104	2.76	0.20	11.0	0.17	18.8	2.98	0.92	11.8	0.050	40.9	1.38	0.68
P1-106	2.32	0.17	12.0	0.18	15.0	1.68	0.57	12.5	0.037	47.4	1.52	0.87
P1-108	2.17	0.21	10.4	0.20	19.0	2.46	0.84	13.4	0.051	52.7	1.29	0.62
P1-110	3.12	0.20	9.7	0.15	19.6	3.25	0.90	9.1	0.049	30.5	1.28	0.71
P1-112	3.94	0.25	11.7	0.18	16.7	2.26	0.86	11.2	0.053	36.2	1.39	0.73
P1-114	6.04	0.14	12.5	0.15	20.8	2.33	0.88	16.4	0.066	33.0	1.47	0.70
P1-116	4.26	0.15	10.5	0.15	25.7	2.87	0.92	7.3	0.068	31.8	1.46	0.70
GRD-6	15.36	1.17	15.4	0.51	203.2	2.89	1.09	131.5	0.158	205.7	1.82	1.68
P1-118	3.42	0.15	11.8	0.13	25.4	2.44	0.93	9.0	0.077	27.4	1.40	0.76
P1-120	3.18	0.17	14.7	0.15	28.0	2.27	0.70	9.2	0.046	31.0	1.49	0.71
P1-122	3.65	0.21	12.2	0.18	28.5	2.65	0.87	9.1	0.109	28.0	1.31	0.42
P1-124	3.52	0.20	9.3	0.17	20.3	1.95	0.76	12.9	0.050	40.1	1.00	0.44
P1-126	3.93	0.24	10.6	0.20	17.3	1.93	0.78	13.5	0.062	34.5	1.01	0.66
P1-128	3.29	0.18	11.6	0.15	12.6	2.68	0.74	9.6	0.044	20.6	1.35	0.71
P1-130	2.78	0.17	11.7	0.15	13.0	1.80	0.88	8.7	0.057	18.5	1.54	0.54
P1-132	2.13	0.13	9.3	0.13	15.1	1.94	0.80	8.4	0.043	17.7	1.69	0.61
P1-134	1.70	0.13	10.1	0.14	11.1	1.68	0.74	6.6	0.047	13.9	1.26	0.52
P1-136	1.59	0.13	9.9	0.14	10.8	1.59	0.58	7.1	0.041	14.8	1.28	1.58
P1-138	1.40	0.10	9.3	0.11	5.1	1.50	0.56	5.0	0.043	14.8	0.94	0.70
P1-140	1.47	0.11	8.9	0.11	8.7	1.59	0.37	4.3	0.037	14.9	0.46	2.03
GRD-35	6.18	0.49	17.9	0.19	12.4	1.90	1.16	27.8	0.045	57.5	1.38	5.24
P1-142	1.40	0.10	8.5	0.12	5.2	1.54	0.48	4.7	0.099	12.8	0.52	0.50
P1-144	1.32	0.09	7.3	0.11	5.4	1.60	0.51	4.1	0.047	9.8	0.58	0.68
P1-146	1.42	0.11	8.7	0.11	6.1	1.61	0.58	4.7	0.053	14.7	0.85	0.57
P1-148	1.32	0.10	8.2	0.15	5.0	1.51	0.52	4.4	0.043	13.7	0.47	0.69
P1-150	1.34	0.12	9.6	0.12	8.5	1.57	0.47	4.6	0.043	14.7	0.91	0.72
P102-100	1.41	0.12	9.1	0.12	10.0	1.45	0.43	7.2	0.054	24.0	0.91	0.53
P102-104	1.11	0.13	7.5	0.11	7.9	1.58	0.40	6.7	0.047	20.6	0.48	0.45
P102-106	1.16	0.13	8.5	0.12	6.2	1.69	0.45	7.2	0.045	23.5	0.51	0.57
P102-108	1.33	0.12	9.5	0.14	6.7	1.52	0.34	9.1	0.036	29.1	0.50	0.52
P102-110	1.73	0.16	11.0	0.15	12.2	1.77	0.86	12.6	0.050	49.2	0.47	0.58
P102-112	1.59	0.14	11.1	0.15	11.6	2.22	0.68	10.3	0.065	40.7	0.73	0.49
P102-114	1.92	0.18	10.2	0.17	11.9	1.67	0.45	11.6	0.049	42.4	0.63	0.49
GRD-53	26.40	1.56	25.1	0.37	16.9	2.62	1.06	27.6	0.069	64.8	1.71	10.35
P102-116	2.13	0.19	12.2	0.19	11.8	1.73	0.47	11.9	0.041	43.2	0.58	0.45
P102-118	1.76	0.15	10.4	0.18	10.6	1.68	0.46	10.8	0.038	37.5	0.62	0.59
P102-120	1.46	0.18	11.2	0.15	12.5	1.98	0.66	9.3	0.064	28.8	0.87	0.68
P102-122	1.63	0.17	10.2	0.15	12.9	2.57	0.72	8.5	0.061	29.1	0.52	0.44
P102-124	1.44	0.15	12.6	0.14	12.7	1.63	0.58	8.0	0.068	27.9	0.67	0.53
P102-126	1.64	0.17	9.8	0.15	12.0	1.72	0.44	9.6	0.036	30.6	0.87	0.58
P102-128	1.52	0.17	12.0	0.16	12.0	2.09	0.64	10.0	0.062	32.8	0.88	0.50
P102-132	1.85	0.17	10.1	0.16	11.7	2.10	0.62	10.4	0.054	32.5	0.92	0.52
P102-134	2.14	0.18	10.4	0.16	12.0	2.03	0.62	9.4	0.049	32.6	0.91	0.47
P102-136	2.14	0.18	11.5	0.17	12.6	1.75	0.68	9.6	0.065	31.8	1.06	0.63
P102-138	1.99	0.16	10.7	0.15	11.9	1.66	0.46	9.2	0.053	31.1	0.90	0.55
P102-140	1.58	0.15	10.9	0.15	12.1	1.68	0.46	8.0	0.048	29.8	0.82	0.52
GRD-5	9.36	0.52	9.0	0.20	12.8	1.62	3.27	26.3	0.071	56.5	0.87	1.77

P102-142	1.61	0.14	10.7	0.13	11.7	1.69	1.79	8.5	0.044	29.3	0.87	0.54
P102-144	1.47	0.16	10.2	0.14	11.9	1.71	0.46	8.1	0.047	26.9	0.86	0.61
P102-146	1.59	0.15	9.9	0.13	12.6	1.62	0.47	7.8	0.045	26.2	0.92	0.53
P102-150	2.08	0.16	10.1	0.15	12.4	1.75	0.58	8.4	0.059	28.4	0.86	0.37
P101-100	2.17	0.11	11.2	0.13	12.5	1.71	0.54	7.9	0.047	22.4	0.91	0.58
P101-104	3.36	0.14	9.4	0.14	12.5	1.71	0.64	8.4	0.046	24.6	0.91	1.08
P101-106	2.94	0.13	10.5	0.13	12.4	1.72	0.70	6.7	0.047	15.4	0.88	0.46
P101-108	2.08	0.12	10.1	0.15	8.4	1.51	0.54	6.0	0.037	15.6	1.05	0.38
P101-110	2.52	0.14	10.4	0.13	12.4	1.59	0.34	7.7	0.036	21.5	0.73	0.37
P101-112	2.00	0.13	12.0	0.12	10.3	1.57	0.43	8.2	0.030	22.4	0.88	0.63
P101-114	1.70	0.12	9.7	0.13	10.4	1.91	0.58	5.7	0.046	12.3	0.89	0.45
P101-116	2.00	0.13	10.4	0.12	10.8	1.73	0.53	8.1	0.076	21.4	0.87	0.44
GRD-6	13.72	0.97	17.2	0.51	200.7	2.56	0.83	129.8	0.152	197.2	1.77	4.68
P101-118	2.36	0.24	11.2	0.13	16.9	2.28	0.51	8.9	0.043	23.4	1.02	0.56
P101-120	2.00	0.11	9.3	0.14	12.0	1.80	0.43	6.6	0.036	15.4	0.88	0.46
P101-126	2.10	0.12	10.0	0.12	15.0	2.70	0.56	6.9	0.045	15.4	0.79	0.51
P101-128	2.56	0.18	9.5	0.15	12.5	1.61	0.41	6.5	0.035	16.8	0.94	0.61
P101-132	2.71	0.20	10.4	0.13	13.2	2.16	0.44	6.8	0.038	17.8	0.48	0.51
P101-134	3.33	0.20	8.7	0.14	15.5	2.47	0.74	6.3	0.041	17.3	0.92	0.49
P101-136	3.58	0.20	9.5	0.14	19.2	2.70	0.72	6.5	0.047	17.0	0.90	0.50
P101-138	3.88	0.22	9.6	0.13	16.5	2.25	0.41	6.3	0.046	17.5	0.87	1.94
P101-140	2.77	0.19	9.8	0.13	13.1	2.12	0.58	6.5	0.048	19.2	0.70	0.50
P101-142	3.59	0.22	10.1	0.16	11.8	1.63	0.54	9.1	0.038	25.5	0.53	0.45
P101-144	2.76	0.20	9.7	0.14	12.2	1.65	0.58	6.6	0.040	19.5	0.45	0.42
P101-146	2.78	0.19	9.4	0.15	11.5	1.52	0.56	7.1	0.030	20.7	0.50	0.53
GRD-35	6.27	0.50	17.5	0.18	11.4	2.13	0.92	25.5	0.040	56.2	1.42	10.55
P101-148	3.13	0.20	9.6	0.14	11.7	1.90	0.67	7.2	0.048	21.9	0.86	0.47
P101-150	2.66	0.19	8.9	0.14	10.2	1.63	0.55	7.3	0.029	27.4	0.83	0.49
P10-100	8.68	0.51	11.0	0.23	15.4	2.35	1.21	8.9	0.040	22.6	2.13	0.41
P10-104	10.56	0.62	10.8	0.38	24.2	3.19	1.18	9.1	0.045	22.8	2.30	0.64
P10-106	12.35	0.80	11.4	0.48	24.3	2.96	1.49	8.7	0.071	20.1	2.28	0.59
P10-108	9.85	0.67	11.0	0.46	19.9	3.34	1.74	9.3	0.050	20.5	2.40	0.53
P10-110	14.18	0.69	12.3	0.34	25.1	3.45	2.12	11.8	0.075	21.0	1.92	0.37
P10-112	9.38	0.51	13.8	0.35	23.6	2.75	1.31	10.2	0.036	18.3	2.87	0.38
P10-114	12.35	0.52	16.0	0.28	15.6	1.90	1.74	14.2	0.066	22.6	1.59	0.71
P10-116	5.96	0.35	13.3	0.19	12.5	2.64	1.50	9.5	0.061	15.4	2.12	0.37
P10-118	11.48	0.52	15.1	0.30	17.5	1.85	1.47	13.5	0.037	18.1	1.95	0.43
P10-122	8.56	0.58	13.3	0.43	22.6	3.07	1.89	10.8	0.047	19.8	2.44	1.10
GRD-53	25.20	1.57	25.2	0.36	19.2	2.36	1.13	26.1	0.079	62.8	1.78	1.73
P10-124	4.54	0.18	12.7	0.15	25.3	3.15	1.25	18.9	0.047	21.8	0.98	0.43
P10-128	9.07	0.65	12.5	0.46	28.3	2.92	1.84	14.2	0.055	19.5	2.23	0.43
P10-132	11.90	0.72	11.9	0.49	27.1	2.96	1.72	13.0	0.042	23.2	2.17	0.63
P10-134	12.83	0.82	11.8	0.51	26.0	2.34	1.64	11.6	0.034	23.8	1.68	0.41
P10-138	17.83	0.92	12.7	0.55	33.5	2.15	1.81	13.5	0.043	24.9	1.82	0.47
P10-140	13.11	0.77	12.4	0.49	22.4	1.51	1.60	15.2	0.037	28.5	1.91	0.38
P10-142	14.23	0.76	12.3	0.48	23.9	1.71	1.37	14.1	0.032	22.3	2.01	0.77
P10-144	14.52	0.72	13.9	0.47	21.6	2.03	1.61	15.4	0.039	23.1	1.66	0.46

P10-146	16.91	1.12	13.2	0.71	32.5	2.86	2.55	16.0	0.056	29.9	2.13	0.46
P10-148	14.01	0.82	13.5	0.49	27.3	1.87	1.55	13.2	0.034	27.9	1.55	0.44
P10-150	18.34	1.05	12.3	0.65	33.8	2.64	2.68	14.5	0.095	27.4	2.89	0.49
A001	3.61	0.25	10.8	0.20	11.9	2.07	0.68	6.9	0.033	20.5	0.76	0.50
GRD-5	9.15	0.62	8.4	0.20	12.5	1.86	3.16	26.7	0.065	59.3	0.96	5.27
A002	2.93	0.25	11.3	0.20	12.3	2.87	0.73	12.2	0.045	51.3	0.90	0.38
A003	10.78	0.67	12.5	0.43	24.7	2.56	2.02	15.3	0.042	29.8	0.97	0.47
A004	2.17	0.12	9.6	0.14	9.5	1.50	0.45	6.2	0.025	14.3	0.86	0.81
A005	5.27	0.31	13.9	0.18	10.2	1.52	0.65	13.4	0.039	20.1	1.34	0.93
A006	5.05	0.25	13.5	0.20	14.3	1.78	0.78	23.3	0.041	30.8	1.62	0.46
A007	5.97	0.13	13.2	0.14	12.6	2.52	1.09	14.6	0.050	22.6	1.76	1.69
A008	1.06	0.12	10.2	0.13	5.4	1.32	0.33	8.6	0.030	26.7	1.72	0.37
A009	4.01	0.30	11.5	0.18	12.2	1.73	0.57	11.0	0.030	34.6	1.00	1.53
A010	1.41	0.13	9.9	0.13	8.0	2.42	0.51	5.8	0.035	13.2	0.73	0.39
A011	3.09	0.27	11.2	0.18	12.9	1.93	0.57	6.4	0.025	18.9	1.09	0.66
A012	2.52	0.12	14.9	0.14	12.6	1.45	0.69	15.1	0.043	25.0	0.93	0.70
A013	6.19	0.20	14.5	0.14	6.8	0.84	0.51	13.2	0.043	22.7	0.75	0.44
GRD-6	15.11	1.18	14.4	0.53	204.4	2.06	0.85	127.5	0.122	204.2	1.76	10.76
A014	4.38	0.12	13.0	0.13	21.3	3.06	1.20	20.3	0.047	23.3	1.30	0.38
A015	5.95	0.32	12.0	0.18	12.0	1.59	0.99	12.5	0.050	22.7	1.26	0.51
P12-100	4.64	0.35	10.4	0.24	12.5	2.01	0.97	7.4	0.033	14.2	2.93	0.41
P12-104	0.77	0.16	10.9	0.14	8.5	3.32	1.66	7.9	0.039	10.6	4.26	0.73
P12-106	17.27	0.66	16.6	0.29	19.6	2.57	2.12	13.7	0.066	26.8	1.54	0.63
P12-110	24.94	0.82	15.4	0.31	19.7	1.85	1.68	16.7	0.050	28.7	1.25	0.59
P12-112	1.71	0.14	9.0	0.14	4.2	1.92	0.75	3.6	0.033	8.3	1.73	0.68
P12-114	30.47	0.99	24.1	0.47	24.6	1.53	3.05	18.7	0.046	30.6	1.34	0.46
P12-116	30.38	1.05	20.0	0.46	23.4	2.18	2.97	15.1	0.042	27.0	1.28	0.72
P12-120	7.35	0.49	11.3	0.29	17.9	3.50	1.22	9.7	0.066	21.2	1.79	0.41
P12-122	1.98	0.17	11.2	0.16	5.5	1.59	0.44	6.9	0.033	11.6	1.93	0.40
P12-124	7.22	0.49	11.6	0.29	20.2	3.07	1.09	12.3	0.035	21.1	2.93	0.42
GRD-35	6.39	0.50	20.0	0.18	13.3	2.66	0.98	25.9	0.045	56.1	1.62	1.74
P12-126	6.55	0.52	11.8	0.36	16.5	2.36	1.20	13.1	0.035	20.3	2.70	0.38
P12-128	9.91	0.61	12.1	0.39	20.5	2.52	1.62	12.5	0.055	25.7	2.14	0.38
P12-130	11.62	0.72	10.6	0.44	27.4	2.49	1.74	13.0	0.056	25.9	1.91	0.69
P12-132	9.75	0.62	10.8	0.35	18.5	1.84	0.87	13.6	0.025	31.6	1.43	0.55
P12-134	13.26	0.83	11.5	0.46	24.1	1.93	1.47	15.8	0.045	34.7	1.60	0.68
P12-136	13.83	0.85	11.7	0.54	26.9	2.50	2.10	12.2	0.058	29.7	1.73	0.44
P12-140	10.26	0.68	11.9	0.45	23.3	2.53	1.60	13.6	0.071	26.2	2.00	0.50
P12-142	11.17	0.71	11.2	0.43	20.7	1.65	1.19	15.2	0.046	26.6	2.10	0.48
P12-144	2.17	0.15	11.6	0.14	9.4	1.56	0.78	9.8	0.049	14.5	2.08	0.52
P12-148	9.51	0.67	11.8	0.42	23.5	2.08	2.01	14.4	0.062	25.6	1.96	0.55
P12-150	12.54	0.80	11.0	0.47	26.0	3.95	2.46	14.6	0.072	29.7	2.81	0.37
P3-100	1.90	0.23	14.1	0.15	17.3	4.11	1.18	5.0	0.044	19.8	3.14	0.45
GRD-53	26.31	1.69	24.2	0.35	20.0	2.97	1.17	25.9	0.096	62.5	1.90	5.44
P3-102	2.45	0.24	12.9	0.17	14.2	2.22	0.64	9.7	0.034	37.9	1.68	0.43
P3-104	1.99	0.18	17.4	0.14	22.6	4.64	0.90	6.6	0.033	23.1	2.68	0.54
P3-106	2.23	0.18	17.9	0.14	21.8	3.83	1.00	6.3	0.039	17.0	2.35	0.58

P3-108	4.70	0.27	11.1	0.16	11.8	2.31	0.92	7.4	0.045	18.9	1.58	1.76
P3-110	5.14	0.29	10.6	0.18	16.4	3.61	0.96	7.3	0.053	16.9	1.52	0.54
P3-112	4.01	0.27	11.1	0.19	12.2	3.02	0.94	8.0	0.044	22.1	1.87	1.56
P3-114	3.04	0.24	12.2	0.18	16.6	3.25	0.78	8.2	0.033	21.9	1.75	0.47
P3-116	3.99	0.27	11.8	0.20	12.3	1.89	0.80	7.2	0.037	18.2	1.30	0.50
P3-118	3.43	0.22	10.9	0.18	17.8	3.87	0.95	6.4	0.059	15.8	1.26	0.44
P3-120	2.05	0.15	10.2	0.13	12.7	1.86	0.65	5.9	0.053	15.2	0.93	0.37
P3-122	2.28	0.14	10.8	0.13	11.8	2.45	0.63	7.7	0.040	16.3	0.89	0.53
P3-124	2.10	0.12	9.9	0.13	11.3	2.18	0.69	6.3	0.055	15.0	0.92	0.75
GRD-5	9.25	0.58	8.6	0.20	12.4	1.93	3.21	25.6	0.065	58.3	0.93	10.61
P3-126	3.21	0.16	11.2	0.13	11.6	2.12	0.78	6.0	0.036	13.4	0.89	0.78
P3-128	2.77	0.15	10.8	0.13	10.9	2.02	0.65	5.1	0.033	13.0	0.92	0.49
P3-130	1.87	0.12	10.4	0.12	10.7	1.53	0.39	4.3	0.028	12.2	0.73	0.39
P3-132	1.76	0.13	10.0	0.15	9.8	1.98	0.58	4.9	0.040	12.5	1.32	0.43
P3-134	2.87	0.16	11.2	0.13	11.9	2.42	0.65	4.8	0.037	14.0	0.86	0.42
P3-136	3.24	0.16	10.8	0.12	9.2	1.44	0.37	5.1	0.036	12.1	0.86	0.47
P3-138	2.01	0.12	10.5	0.15	9.4	2.57	0.50	4.8	0.035	12.6	0.76	0.42
P3-140	3.09	0.14	10.6	0.14	10.9	1.72	0.65	5.6	0.036	14.2	0.85	0.57
P3-142	2.87	0.15	10.3	0.12	11.8	2.24	0.66	4.2	0.040	10.9	0.85	0.37
P3-144	1.92	0.13	10.1	0.15	11.2	2.08	0.52	4.3	0.030	12.7	0.83	0.39
P3-146	1.72	0.13	9.5	0.13	10.1	2.32	0.52	6.2	0.034	12.5	0.87	1.79
P3-148	1.63	0.11	9.1	0.13	10.1	2.84	0.85	4.3	0.053	12.3	0.87	0.49
GRD-6	14.30	1.14	16.9	0.50	204.7	2.11	0.82	128.1	0.126	204.2	1.79	1.67
P3-150	1.43	0.13	8.7	0.14	9.2	2.74	0.70	5.0	0.037	16.8	0.86	0.44
P5-100	4.26	0.23	11.7	0.17	12.4	2.32	0.85	6.2	0.049	17.0	0.99	0.39
P5-102	2.78	0.18	10.6	0.13	12.0	1.96	0.68	5.2	0.057	15.0	0.98	0.39
P5-104	3.03	0.20	11.2	0.16	12.5	2.97	0.80	5.7	0.041	15.7	0.87	0.60
P5-106	2.06	0.15	11.6	0.12	11.3	2.81	0.83	4.6	0.046	12.4	0.74	0.38
P5-108	1.94	0.16	10.2	0.12	9.9	1.83	0.55	4.7	0.033	12.3	0.81	0.43
P4-100	11.11	0.55	17.6	0.25	17.8	2.88	1.71	12.0	0.062	29.5	1.27	0.59
P4-102	11.75	0.66	16.2	0.34	22.3	3.26	1.92	10.7	0.058	21.4	1.74	0.70
P4-104	12.49	0.86	15.2	0.50	19.2	2.56	1.51	12.2	0.039	24.8	1.67	0.44
P4-106	3.02	0.25	10.8	0.13	12.6	2.50	0.89	5.1	0.030	12.5	2.89	0.63
P4-108	3.35	0.27	13.3	0.16	12.7	2.48	0.81	7.3	0.025	17.0	2.10	0.59
P4-110	4.98	0.23	12.7	0.14	12.2	2.27	0.92	7.9	0.027	17.0	1.68	0.83
GRD-35	6.19	0.49	17.6	0.20	11.9	2.36	1.07	28.8	0.044	57.0	1.35	6.06
P4-112	2.47	0.24	13.1	0.18	16.5	3.51	0.95	8.6	0.038	28.5	1.16	0.51
P4-114	4.28	0.25	16.1	0.17	12.4	1.50	0.83	9.8	0.028	19.3	1.50	0.82
P4-116	2.47	0.22	14.9	0.14	12.2	2.18	0.88	7.6	0.043	16.4	1.69	0.56
P4-118	3.78	0.28	14.7	0.18	14.9	3.07	0.97	8.1	0.043	23.7	1.86	0.45
P4-120	4.62	0.30	13.0	0.19	15.9	2.61	1.04	8.5	0.029	20.7	2.25	0.80
P4-122	2.62	0.27	14.4	0.19	13.2	3.42	1.14	10.0	0.079	19.6	2.58	0.48
P4-124	2.62	0.11	10.4	0.12	12.0	3.39	1.41	17.3	0.046	19.2	1.69	1.97
P4-128	1.57	0.16	13.4	0.14	12.4	2.07	0.83	18.4	0.050	19.4	2.54	0.51
P4-130	2.46	0.18	12.0	0.15	15.0	3.51	1.13	17.6	0.047	23.4	1.54	0.48
P4-132	5.32	0.44	14.4	0.25	22.5	2.83	1.19	19.2	0.046	23.3	1.76	0.60
P4-134	6.03	0.53	12.7	0.30	24.4	2.23	0.92	19.9	0.028	22.9	1.60	0.65

P4-136	8.89	0.56	12.7	0.35	24.5	2.94	1.32	16.6	0.040	26.3	1.40	0.79
GRD-53	25.31	1.54	25.6	0.35	19.6	3.40	1.21	27.3	0.088	65.1	1.87	10.99
P4-138	8.26	0.48	12.7	0.33	17.9	2.09	1.21	16.5	0.032	25.5	2.25	0.76
P4-140	9.23	0.69	11.7	0.37	21.3	2.64	1.78	15.7	0.037	27.4	1.39	0.50
P4-142	8.19	0.47	12.3	0.28	18.1	2.71	1.44	17.3	0.044	25.6	2.08	0.69
P4-144	7.15	0.42	11.7	0.25	18.5	2.32	1.11	15.6	0.030	23.7	1.53	0.51
P4-146	5.25	0.34	11.4	0.22	22.6	4.65	1.78	12.0	0.059	26.7	1.71	0.52
P4-148	7.00	0.62	11.0	0.27	15.7	2.51	1.51	12.5	0.040	25.4	1.97	0.77
P4-150	9.66	0.53	13.8	0.34	20.2	2.45	1.32	12.2	0.033	22.4	1.96	0.58
P301-100	5.64	0.51	13.8	0.14	9.9	0.93	0.47	11.3	0.023	21.5	0.70	0.59
P301-104	6.67	0.37	17.2	0.19	11.4	2.31	0.85	10.6	0.035	27.9	0.90	0.69
P301-106	10.23	0.27	12.1	0.13	10.0	1.54	0.91	15.2	0.048	20.4	0.61	0.77
P301-108	5.15	0.27	14.7	0.15	10.0	2.20	0.88	6.4	0.037	10.3	1.40	0.73
P301-110	7.85	1.09	18.1	0.20	12.1	2.56	0.91	8.2	0.048	14.1	0.88	0.57
GRD-5	9.42	0.62	9.5	0.19	12.0	1.98	3.17	27.4	0.066	60.8	0.96	1.66
P301-112	3.12	0.30	13.6	0.15	10.5	1.55	0.73	7.6	0.049	19.2	0.73	0.71
P301-114	3.70	0.18	16.2	0.14	8.4	1.36	0.78	8.9	0.043	17.7	0.61	1.02
P301-116	2.28	0.19	12.7	0.13	6.7	1.70	0.65	4.8	0.032	11.2	0.58	0.77
P301-118	1.52	0.30	13.3	0.13	6.6	1.69	0.70	4.7	0.033	11.0	0.63	0.82
P301-122	1.67	0.20	14.2	0.13	9.4	2.04	0.66	7.3	0.054	23.0	0.52	0.84
P301-124	2.50	0.26	19.1	0.14	8.2	1.32	0.75	11.3	0.052	25.6	0.45	0.79
P301-126	3.74	0.29	18.3	0.13	9.8	1.42	0.90	11.6	0.059	25.5	0.44	0.95
P301-128	3.27	0.85	15.9	0.14	7.9	1.52	0.80	7.7	0.046	15.6	0.46	0.70
P301-130	1.89	0.30	10.9	0.13	7.5	1.70	0.57	4.3	0.030	8.6	0.47	0.68
P301-132	1.62	0.18	10.3	0.13	6.7	2.30	0.83	4.2	0.046	10.0	0.74	0.95
P301-134	1.09	0.15	10.7	0.13	8.1	2.48	0.69	3.9	0.040	8.4	0.69	0.86
P301-138	2.31	0.20	11.3	0.13	10.4	3.34	0.90	5.0	0.043	11.3	0.86	0.68
GRD-6	14.63	1.14	15.8	0.52	202.2	2.43	0.91	126.2	0.130	203.6	1.72	6.32
P301-142	2.53	3.20	11.0	0.15	9.8	2.03	0.78	6.3	0.033	16.0	0.86	0.73
P301-146	1.50	0.18	11.2	0.13	7.5	1.71	0.62	4.5	0.045	10.7	0.77	0.66
P301-148	1.33	0.26	10.6	0.11	6.6	2.20	0.79	4.0	0.040	11.1	0.67	0.64
P301-150	2.55	0.39	10.9	0.13	9.5	1.49	0.75	5.2	0.037	13.7	0.90	0.74
P8-100	15.94	0.76	13.4	0.34	21.0	2.66	1.40	8.9	0.060	20.4	0.75	0.73
P8-102	13.28	0.79	13.7	0.37	21.8	2.93	1.67	10.2	0.052	26.1	2.02	0.65
P8-104	10.67	0.54	12.6	0.30	22.4	3.31	1.92	11.2	0.049	25.0	2.12	0.62
P8-106	8.49	0.58	13.4	0.33	19.1	3.55	1.88	9.0	0.055	20.7	2.61	0.58
P8-110	9.80	0.54	13.1	0.31	12.9	2.43	1.28	10.2	0.033	20.5	2.61	1.67
P8-112	6.55	0.45	13.0	0.25	11.8	2.42	1.27	17.6	0.049	17.2	2.23	0.99
P8-116	6.65	0.47	13.3	0.26	12.6	2.97	1.38	16.2	0.053	16.1	1.82	0.71
P8-118	6.88	0.59	13.0	0.51	19.0	3.07	1.70	12.6	0.058	22.4	1.93	0.70
GRD-35	5.87	0.51	18.4	0.19	10.5	2.30	0.87	25.4	0.048	54.8	1.46	10.57
P8-120	6.58	0.53	12.0	0.35	19.7	2.84	1.50	12.9	0.050	17.8	2.10	0.94
P8-122	6.41	0.36	12.7	0.19	16.2	2.53	1.42	11.9	0.060	19.1	1.47	0.88
P8-124	6.48	0.38	14.8	0.19	12.1	2.26	1.49	16.4	0.052	17.7	1.79	0.92
P8-126	10.45	0.56	13.0	0.31	15.7	2.37	1.65	11.7	0.051	27.0	1.51	0.37
P8-128	8.09	0.50	10.9	0.32	16.4	2.59	1.36	10.9	0.049	21.2	1.72	0.51
P8-132	12.89	1.04	13.7	0.65	24.1	2.86	1.84	12.5	0.050	24.3	1.73	0.47

P8-134	14.59	1.12	14.4	0.65	27.4	2.88	2.30	12.4	0.062	24.7	1.49	0.61
P8-136	8.81	0.49	15.3	0.27	18.0	2.18	1.31	11.5	0.038	20.1	0.89	0.78
P8-140	9.69	0.50	13.2	0.31	17.1	2.61	1.29	12.0	0.046	19.5	1.49	0.50
P8-142	8.90	0.47	13.4	0.21	17.2	2.80	1.76	13.0	0.067	18.7	1.74	0.48
P8-144	10.37	0.64	13.2	0.41	28.9	2.54	1.42	13.0	0.036	20.5	1.65	0.50
P8-148	16.80	1.16	14.2	0.73	30.2	3.03	2.76	13.5	0.076	27.5	1.81	0.94
GRD-53	23.67	1.50	25.9	0.34	18.7	2.35	1.23	26.6	0.079	62.9	1.73	1.66
P8-150	12.65	0.85	13.7	0.53	26.3	2.56	1.94	16.4	0.057	32.3	1.69	0.44
P302-100	1.74	0.14	13.3	0.15	10.1	2.13	0.85	6.7	0.039	18.1	0.74	0.48
P302-104	0.76	0.11	11.9	0.12	6.6	2.10	0.79	5.6	0.047	8.9	0.61	0.41
P302-106	0.67	0.14	11.8	0.12	5.5	1.85	0.70	4.2	0.029	10.3	0.75	0.41
P302-108	0.70	0.13	11.9	0.12	8.3	2.52	0.87	4.7	0.037	11.3	0.92	0.48
P302-110	0.78	0.14	12.8	0.11	5.7	1.54	0.54	5.0	0.125	9.5	0.70	0.40
P302-112	0.91	0.11	11.9	0.12	5.1	1.69	0.75	4.8	0.044	9.6	0.63	0.47
P302-114	1.28	0.11	12.5	0.12	8.3	1.68	0.75	7.6	0.037	20.8	0.69	0.61
P302-118	1.67	0.12	12.4	0.13	6.0	1.76	0.66	4.6	0.037	10.5	0.47	0.45
P302-122	27.59	0.22	22.1	0.23	12.0	1.45	0.79	95.2	0.070	48.2	0.48	0.58
P302-126	3.03	0.12	16.7	0.14	17.6	1.85	0.62	16.2	0.037	40.8	0.88	1.09
P302-128	2.27	0.11	13.3	0.14	13.3	3.25	0.98	11.8	0.055	27.3	0.85	0.69
GRD-5	8.51	0.54	9.5	0.19	11.7	1.80	3.57	27.8	0.062	55.2	0.94	5.79
P302-130	1.96	0.14	14.0	0.13	11.7	1.91	0.91	10.8	0.049	20.9	0.82	0.47
P302-134	2.62	0.14	17.0	0.13	12.4	2.31	0.87	19.6	0.054	43.4	0.85	0.87
P302-136	3.17	0.14	14.8	0.13	15.8	2.58	0.75	18.1	0.049	35.8	0.94	0.78
P302-138	3.08	0.19	15.3	0.16	16.5	3.19	1.12	11.6	0.068	31.4	0.91	0.74
P302-140	2.87	0.19	12.8	0.16	13.7	3.24	1.10	9.2	0.053	28.0	1.09	0.54
P302-142	1.04	0.11	10.2	0.12	16.0	3.07	1.06	10.4	0.063	39.3	0.95	0.82
P302-144	3.22	0.16	9.0	0.13	11.5	2.02	0.84	6.0	0.036	15.4	0.79	0.54
P302-146	3.31	0.15	12.8	0.13	14.1	2.71	1.07	14.2	0.072	26.5	0.89	1.28
P302-148	3.06	0.14	9.6	0.13	11.7	2.91	0.70	7.2	0.063	14.3	0.92	0.49
P302-150	3.19	0.19	13.4	0.17	13.4	1.96	0.61	11.1	0.045	36.9	0.85	0.73
P7-100	2.74	0.16	10.4	0.15	11.5	1.78	0.44	5.6	0.038	14.4	0.88	0.38
P7-102	2.69	0.15	10.3	0.13	11.4	1.61	0.67	5.5	0.034	13.6	0.92	0.52
GRD-6	15.46	1.23	14.8	0.54	201.7	2.55	1.15	132.1	0.147	206.2	1.83	10.71
P7-104	2.32	0.13	11.8	0.15	12.1	2.11	0.55	5.6	0.037	13.0	0.69	0.62
P7-106	2.44	0.13	11.1	0.14	12.0	2.07	0.51	5.4	0.039	11.6	0.73	0.78
P7-108	1.90	0.14	10.9	0.15	9.9	1.90	0.56	5.3	0.040	12.8	0.87	0.56
P7-110	2.02	0.13	10.9	0.15	10.2	1.67	0.32	4.9	0.035	11.8	0.58	0.53
P7-112	2.02	0.13	11.4	0.13	10.2	2.07	0.51	4.9	0.037	13.9	0.54	0.53
P7-114	2.05	0.12	11.3	0.15	10.6	2.23	0.50	4.9	0.038	11.9	0.59	0.45
P7-116	2.21	0.13	10.2	0.13	8.4	1.69	0.43	5.2	0.036	12.7	0.67	0.41
P7-118	2.22	0.12	11.0	0.15	11.7	2.11	0.51	5.0	0.041	12.3	0.88	0.54
P7-120	2.35	0.13	11.6	0.15	9.9	1.94	0.42	4.9	0.036	13.3	0.87	0.65
P7-122	2.26	0.13	11.1	0.15	9.0	1.98	0.46	4.7	0.030	10.4	0.82	0.56
P7-124	1.80	0.14	28.7	0.25	8.4	1.87	0.45	4.5	0.036	11.2	0.54	0.52
P7-126	2.12	0.16	17.8	0.15	11.5	2.70	0.55	4.9	0.041	11.7	0.75	0.37
GRD-35	6.21	0.50	20.2	0.19	14.5	1.90	1.00	25.6	0.035	54.6	1.43	1.54
P9-100	2.15	0.17	14.2	0.13	11.7	2.28	0.39	5.5	0.029	14.3	0.87	0.43

P9-102	1.85	0.25	13.2	0.15	10.1	2.53	0.52	5.1	0.038	13.6	0.61	0.44
P9-104	1.45	0.12	11.1	0.15	9.3	2.08	0.64	4.4	0.033	11.8	0.79	0.52
P9-106	1.53	0.13	10.6	0.14	9.5	2.18	0.42	4.2	0.028	11.7	0.74	0.47
P9-108	1.74	0.15	11.9	0.14	8.4	1.96	0.35	4.3	0.030	11.6	0.81	0.73
P9-110	1.43	0.13	12.2	0.14	10.1	2.53	0.48	4.7	0.034	12.4	0.90	0.37
P9-112	1.77	0.13	13.6	0.13	9.6	2.31	0.42	5.2	0.033	13.9	0.76	0.47
P9-114	1.49	0.13	14.5	0.13	12.2	2.62	0.41	5.2	0.032	14.0	0.79	0.39
P9-116	1.71	0.13	12.5	0.13	10.3	2.15	0.36	5.2	0.034	13.3	0.81	0.50
P9-118	4.27	0.13	13.5	0.14	11.9	2.66	0.52	11.9	0.046	13.9	0.80	0.58
P9-120	1.56	0.13	11.1	0.13	10.5	2.24	0.47	7.3	0.044	16.2	0.59	0.61
P9-122	1.64	0.12	10.5	0.12	10.2	1.99	0.40	5.5	0.033	12.7	0.48	0.51
GRD-53	23.76	1.57	26.0	0.35	19.7	2.59	1.07	27.0	0.080	63.8	1.78	5.52
P9-124	2.08	0.15	11.8	0.13	12.8	2.32	0.53	6.3	0.036	14.0	0.77	0.50
P9-126	2.17	0.16	12.1	0.12	12.8	2.60	0.69	6.9	0.052	15.7	0.80	0.51
P9-128	2.90	0.16	11.8	0.13	11.6	2.71	0.61	7.2	0.035	19.6	0.53	0.47
P9-130	1.87	0.15	11.1	0.12	12.2	2.10	0.32	5.7	0.031	20.2	0.57	0.55
P9-132	2.62	0.16	11.0	0.14	11.0	2.45	0.44	6.4	0.043	15.5	0.82	0.52
P9-134	2.57	0.18	9.8	0.13	12.3	3.15	0.78	6.0	0.052	18.5	0.87	0.51
P9-136	1.50	0.14	9.7	0.11	10.1	2.60	0.44	5.8	0.035	14.5	0.74	0.52
P9-138	2.35	0.17	11.2	0.13	9.9	2.06	0.32	6.5	0.032	14.2	0.77	0.65
P9-140	1.93	0.16	10.1	0.12	10.2	2.64	0.44	5.0	0.038	12.3	0.79	0.37
P9-142	2.11	0.17	9.2	0.12	12.2	2.12	1.46	6.5	0.038	16.4	0.82	0.54
P9-144	2.06	0.16	10.1	0.13	10.2	1.99	0.48	6.2	0.033	14.3	0.76	0.46
P9-146	2.69	0.19	9.7	0.12	10.6	2.19	0.36	5.0	0.031	13.4	0.65	0.38
GRD-5	9.12	0.58	8.2	0.20	12.7	1.89	3.31	26.2	0.077	58.1	0.95	9.76
P9-148	1.63	0.16	9.8	0.11	11.1	2.11	0.57	4.4	0.034	12.7	0.52	0.52
P9-150	1.89	0.16	9.5	0.12	11.4	2.38	0.44	4.3	0.036	11.3	0.75	0.39
P6-100	7.48	0.43	15.1	0.19	12.1	2.34	0.86	8.3	0.032	18.2	1.58	0.45
P6-102	7.54	0.50	15.0	0.21	12.7	2.80	1.37	8.6	0.042	20.6	1.23	0.61
P6-104	6.50	0.38	13.2	0.21	16.2	2.99	1.63	8.1	0.047	28.4	1.53	0.46
P6-106	5.41	0.28	12.5	0.14	12.0	2.56	0.99	8.4	0.039	16.6	1.30	0.71
P6-108	12.02	0.58	17.2	0.28	20.5	3.57	2.25	8.3	0.067	22.6	1.39	0.53
P6-110	6.15	0.32	17.4	0.13	12.2	2.29	0.64	6.8	0.031	17.8	1.87	0.46
P6-112	13.46	0.57	17.4	0.28	22.5	3.39	1.60	9.8	0.048	27.0	1.27	0.64
P6-114	8.48	0.43	15.9	0.19	15.3	2.46	1.06	9.7	0.043	22.8	1.01	0.89
P6-116	5.31	0.36	13.0	0.19	19.5	2.99	1.42	8.9	0.046	17.1	1.72	0.39
P6-118	5.63	0.44	10.8	0.23	16.2	2.74	0.91	10.2	0.039	23.2	1.50	0.38
GRD-6	14.49	1.08	17.5	0.50	205.8	2.92	0.95	124.2	0.155	201.2	1.75	1.60
P6-120	7.29	0.42	9.0	0.21	17.1	2.93	1.40	12.5	0.039	24.2	1.53	0.37
P6-122	3.84	0.23	10.1	0.13	12.4	2.30	1.26	11.7	0.056	19.9	1.39	0.62
P6-124	5.21	0.37	13.0	0.19	13.3	3.40	1.01	17.1	0.037	20.2	1.72	0.43
P6-126	4.10	0.30	12.2	0.15	12.2	2.18	0.42	16.2	0.029	18.4	1.84	0.60
P6-128	4.69	0.31	12.8	0.14	12.5	2.85	0.92	13.5	0.039	19.7	1.25	0.52
P6-130	6.57	0.32	13.2	0.16	12.1	2.45	1.35	13.7	0.042	19.9	1.34	0.77
P6-132	7.01	0.44	10.5	0.19	13.3	2.21	1.17	12.2	0.037	23.1	1.75	0.47
P6-134	6.04	0.45	9.8	0.20	14.1	2.62	1.28	11.9	0.049	21.4	1.74	0.43
P6-136	7.59	0.51	10.9	0.21	15.1	3.15	1.40	12.7	0.054	28.5	1.91	0.44

P6-138	6.63	0.43	10.2	0.21	16.2	2.00	1.04	14.8	0.032	26.1	1.58	0.48
P6-140	7.44	0.43	11.4	0.20	11.8	2.58	1.15	13.6	0.045	21.4	1.46	0.62
P6-142	10.20	0.73	11.3	0.47	18.2	2.58	1.37	14.8	0.046	26.5	1.70	0.57
GRD-35	5.94	0.54	17.0	0.20	10.7	2.04	0.96	26.3	0.042	57.0	1.43	6.17
P6-144	9.34	0.66	11.9	0.37	21.2	3.00	1.52	14.4	0.056	29.4	1.69	0.60
P6-146	8.54	0.60	10.2	0.36	21.4	2.50	1.33	13.3	0.042	21.3	1.50	0.57
P6-148	8.66	0.66	10.6	0.42	20.4	2.69	1.33	12.5	0.044	23.1	1.74	0.45
P6-150	14.68	1.06	12.0	0.71	22.4	2.24	1.70	13.3	0.057	26.6	1.34	0.43
P11-100	1.72	0.18	9.1	0.14	11.0	2.60	0.88	4.5	0.062	12.4	0.86	0.52
P11-102	1.77	0.18	9.8	0.13	9.9	1.66	0.56	4.5	0.024	12.9	0.90	0.44
P11-104	1.73	0.16	8.7	0.12	10.8	1.95	0.85	4.3	0.037	11.2	0.90	0.40
P11-106	2.20	0.18	9.2	0.12	12.7	2.42	0.83	4.2	0.036	11.2	0.86	0.56
P11-108	1.76	0.16	9.3	0.13	12.0	1.58	0.58	4.5	0.024	10.8	0.67	0.41
P11-110	2.24	0.21	8.7	0.13	12.3	2.43	0.85	5.2	0.036	12.5	0.89	1.03
P11-114	1.69	0.18	9.9	0.12	5.6	2.34	0.41	4.4	0.036	11.7	0.91	0.41
P11-116	2.34	0.19	12.7	0.12	9.7	1.46	0.62	10.2	0.030	15.5	0.70	1.26
GRD-53	24.20	1.51	25.6	0.33	20.6	2.35	1.13	25.4	0.069	61.4	1.73	10.49
P11-118	1.97	0.21	10.6	0.14	9.0	1.73	0.68	4.6	0.030	13.1	0.70	0.48
P11-122	3.81	0.21	23.9	0.14	10.9	0.88	0.63	26.1	0.031	24.4	0.58	1.00
P11-124	3.65	0.18	18.3	0.13	8.4	1.13	0.80	26.1	0.040	26.3	0.69	1.03
P11-126	2.34	0.20	10.4	0.13	8.2	1.45	0.54	5.2	0.026	18.1	0.80	0.36
P11-128	1.97	0.19	9.8	0.13	7.7	1.26	0.68	5.1	0.025	13.2	0.87	0.38
P11-130	2.85	0.22	11.0	0.14	11.8	2.01	0.75	5.4	0.036	12.2	0.86	0.62
P11-132	3.03	0.24	10.6	0.14	11.1	1.81	0.74	5.0	0.031	11.9	0.91	0.65
P11-134	2.01	0.18	10.7	0.15	9.9	1.92	0.64	4.7	0.030	13.9	0.88	0.81
P11-136	3.00	0.21	11.6	0.13	11.4	2.31	0.78	5.5	0.037	15.6	0.68	0.64
P11-138	3.33	0.21	12.1	0.13	13.0	2.41	1.56	9.2	0.048	18.4	0.54	0.39
P11-140	2.49	0.21	11.5	0.15	12.5	2.18	0.91	5.4	0.037	14.2	0.92	0.62
P11-142	3.00	0.16	12.3	0.14	9.4	1.37	0.90	8.3	0.057	16.9	0.75	0.60
GRD-5	9.35	0.64	10.0	0.21	13.1	1.97	3.28	26.4	0.063	59.8	0.92	1.68
P11-144	2.40	0.20	11.3	0.15	9.4	1.58	0.76	5.2	0.027	14.0	0.61	0.50
P11-146	2.49	0.20	11.6	0.13	10.4	1.98	0.90	6.1	0.047	15.5	0.86	0.48
P11-148	2.15	0.21	10.7	0.15	8.1	2.80	0.69	5.5	0.032	13.6	0.64	0.43
P11-150	2.16	0.18	11.5	0.14	9.1	1.17	0.44	5.4	0.027	13.3	0.70	0.61
P2-100	9.31	0.54	13.2	0.29	16.7	3.28	1.29	9.3	0.046	20.2	1.28	0.46
P2-106	5.05	0.34	14.4	0.21	16.5	2.45	1.02	13.6	0.042	36.1	0.87	0.82
P2-108	3.97	0.27	13.6	0.19	13.6	2.54	1.03	17.5	0.035	36.4	1.52	0.90
P2-110	2.33	0.18	12.8	0.14	19.0	2.20	0.91	23.0	0.032	34.2	1.45	0.73
P2-112	4.43	0.37	13.2	0.19	13.5	2.23	0.97	12.7	0.056	37.5	1.25	0.81
P2-114	4.06	0.31	12.7	0.20	12.7	2.53	0.99	11.7	0.037	39.7	1.23	0.71
P2-116	5.04	0.35	12.9	0.19	18.0	3.07	1.22	9.3	0.044	26.6	1.64	0.54
P2-118	4.15	0.29	13.4	0.21	15.1	2.40	1.00	9.1	0.039	27.8	1.49	0.57
GRD-6	13.83	1.10	16.2	0.54	207.4	2.78	1.11	130.8	0.125	210.4	1.73	5.53
P2-120	2.12	0.23	16.3	0.19	19.1	3.28	1.04	12.6	0.041	40.9	1.25	0.80
P2-122	1.51	0.19	14.5	0.15	13.6	2.20	0.87	8.0	0.023	21.8	2.14	0.59
P2-124	1.52	0.21	15.9	0.14	15.9	2.45	0.94	7.8	0.026	20.4	1.92	0.43
P2-126	2.57	0.25	10.5	0.16	16.9	3.38	1.10	15.6	0.047	16.7	2.29	0.63

P2-128	2.68	0.25	11.3	0.15	15.5	2.68	1.05	15.2	0.038	16.4	2.72	0.74
P2-130	0.98	0.17	14.4	0.15	12.4	2.25	1.08	8.4	0.030	23.9	2.90	0.48
P2-132	0.99	0.18	17.0	0.13	13.5	3.38	1.28	7.3	0.032	22.9	3.02	0.57
P2-134	2.56	0.17	15.1	0.14	16.2	2.99	1.30	23.4	0.055	29.1	2.13	0.89
P2-136	2.71	0.20	14.9	0.14	14.2	2.38	1.08	22.8	0.038	29.0	2.25	0.87
P2-138	3.38	0.29	13.1	0.19	13.0	2.27	0.90	16.3	0.031	34.4	2.04	0.46
P2-140	5.62	0.44	13.2	0.19	21.3	3.21	1.32	17.5	0.065	23.9	1.66	0.67
P2-142	3.38	0.30	13.4	0.19	16.6	2.55	0.86	16.0	0.037	35.3	1.37	0.70
GRD-35	6.09	0.53	19.6	0.21	11.7	2.15	1.04	28.4	0.041	56.8	1.33	10.16
P2-144	4.55	0.37	13.5	0.20	19.1	2.86	1.04	16.9	0.046	34.0	1.62	0.96
P2-146	4.55	0.27	14.5	0.18	14.9	2.13	1.00	17.7	0.036	31.1	1.65	0.68
P2-148	5.02	0.31	14.1	0.18	18.0	2.61	1.24	17.1	0.046	26.1	1.70	0.90
P2-150	4.75	0.36	12.3	0.20	21.4	3.35	1.20	12.9	0.043	27.8	1.53	0.65
P7-128	1.42	0.18	10.8	0.15	6.1	1.42	0.41	5.9	0.028	15.8	0.89	0.56
P7-130	1.31	0.18	10.1	0.14	7.4	2.03	0.63	6.9	0.049	14.5	0.75	0.65
P7-132	1.78	0.19	11.0	0.14	5.4	1.58	0.36	4.9	0.036	12.3	0.73	0.80
P7-134	1.54	0.18	10.7	0.13	4.4	1.52	0.48	4.2	0.033	10.8	0.74	0.72
P7-136	1.52	0.16	10.7	0.13	5.2	1.83	0.52	4.9	0.038	12.8	0.87	0.46
P7-138	1.58	0.18	13.0	0.14	6.6	1.67	0.50	6.3	0.038	18.9	0.86	0.49
P7-140	1.73	0.18	11.7	0.14	6.2	2.11	0.56	5.6	0.033	18.0	0.89	0.44
P7-142	1.51	0.18	11.9	0.13	6.8	1.73	0.51	5.4	0.027	15.9	0.70	0.72
GRD-53	24.76	1.57	28.3	0.37	23.0	2.42	1.03	26.7	0.068	65.5	1.74	1.67
P7-144	1.59	0.18	11.3	0.14	4.6	1.71	0.56	6.5	0.024	13.3	0.91	0.64
P7-146	1.40	0.16	11.2	0.13	4.2	1.63	0.55	5.3	0.040	15.9	0.61	0.82
P7-148	1.45	0.17	11.8	0.13	4.3	1.84	0.55	4.8	0.028	12.5	0.65	0.38
P7-150	1.40	0.17	11.0	0.13	4.3	1.59	0.54	4.6	0.031	12.8	0.68	0.38
GBW07301a	2.32	0.26	28.6	0.56	29.5	3.18	1.12	26.7	0.033	91.4	0.86	
GBW07302a	6.45	0.74	15.5	0.35	29.9	8.48	1.23	5.1	0.049	44.1	5.97	
GBW07303a	16.68	4.06	63.4	0.70	43.3	3.81	39.55	171.5	0.185	101.4	4.07	
GBW07304a	21.29	2.90	72.7	0.71	75.4	3.72	1.64	31.0	0.190	141.9	2.25	
GBW07305a	74.58	9.24	273.9	2.99	106.3	5.03	1.57	113.7	0.686	254.2	5.26	
GBW07307a	11.84	2.05	1584.7	0.19	658.3	2.34	0.88	23.3	1.160	768.7	0.92	
GBW07308a	6.79	0.38	24.2	0.20	35.0	3.46	1.26	6.9	0.123	78.6	2.98	
GBW07302	6.69	0.50	39.3	1.63	32.9	31.42	2.19	5.4	0.064	47.4	25.31	
GBW07309	8.19	0.83	75.2	0.40	21.3	2.98	0.62	33.1	0.089	82.1	1.84	
GBW07310	26.61	6.61	289.9	0.36	28.5	1.46	1.16	24.1	0.266	55.1	1.73	
GBW07311	197.92	15.75	77.4	52.97	563.2	315.22	5.63	80.0	3.082	382.4	115.34	
GBW07312	104.16	22.73	65.5	9.26	246.8	49.85	7.04	1149.5	1.204	516.7	36.45	

EL4830 1: 5000 High Accuracy Magnetic Mapping



1: 50000

EL4830 Field Geological Mapping



Legend

- Qha — Undivided Holocene alluvial / steam sediments
- Qhl_1 — Holocene sedimentary
- Qpr_4 — Aeolian, lake sediments: aeolian sand and brown-red clay
- T/Si — Tertiary siliceous cement conglomerate's undivided
- JK-a — Algebuckina Sandstone, Conglomerate: gray, thin-bedded sandstone
- Mal — Chandaboola dacite: dacite, patchy; a small amount of rhyolite dacite
- 1: 50000 Geological Draft Mapping
- EL4830 Tenement Area

Ishine International Resources Ltd			
EL4830 -Mulga Well Field Geologcial Mapping			
Author	Bing Hu	Order	1
Scale	1: 50000	Mapping ID	1
		Date	2015.4.8

1: 50 000

米500 0 1 2 3 4 Km