

MINERALS TEST REPORT

CLIENT

URO CORPORATION

JOB INFORMATION

JOB CODE : 6.3/2409515
 NO. SAMPLES : 17
 NO. ELEMENTS : 48
 CLIENT ORDER NO. : ANDRE COFFA (Job 1 of 1)
 SAMPLE SUBMISSION NO. : ANDRE COFFA
 PROJECT : Marree March 2024
 SAMPLE TYPE : Various
 DATE RECEIVED : 06/06/2024
 DATE TESTED : 06/06/2024 - 03/07/2024
 DATE REPORTED : 05/07/2024
 DATE PRINTED : 05/07/2024

REPORT NOTES

TESTED BY

Intertek Adelaide
 11 Senna Road, Wingfield, 5013, South Australia
 Tel: +61 8 8162 9714
 Email: min.aus.adl@intertek.com

APPROVED SIGNATURE FOR



Andrew GASIOWSKI
 Laboratory Manager - Adelaide

This report relates specifically to the sample(s) tested that were drawn and/or provided by the client or their nominated third party to Intertek. The reported result(s) provide no warranty or verification on the sample(s) representing any specific goods and/or shipment. This report was prepared solely for the use of the client named in this report. Intertek accepts no responsibility for any loss, damage or liability suffered by a third party as a result of any reliance upon or use of this report. The results provided are not intended for commercial settlement purposes.

Except where explicitly agreed in writing, all work and services performed by Intertek is subject to our standard Terms and Conditions which can be obtained at our website: [intertek.com/terms/](https://www.intertek.com/terms/)

In nominating Intertek for this work, you hereby undertake that the performance of such work will not constitute a breach of, or cause Intertek to be in breach of, any applicable sanctions or other legislation.

JOB NO : 6.3/2409515
 CLIENT REF : ANDRE COFFA



SIGNIFICANT FIGURES

It is common practice to report data derived from analytical instrumentation to a maximum of two or three significant figures. Some data reported herein may show more figures than this. The reporting of more than two or three figures in no way implies that figures beyond the least significant digit have significance.

For more information on the uncertainty on individual reported values, please contact the laboratory.

MEASUREMENT OF UNCERTAINTY

Measurement of uncertainty estimates are available for most tests upon request.

SAMPLE STORAGE

All solid samples (assay pulps, bulk pulps and residues) will be stored for 60 days without charge. Following this samples will be stored at a daily rate until clients written advice regarding return, collection or disposal is received. If storage information is not supplied on the submission, or arranged with the laboratory in writing the default will be to store the samples with the applicable charges. Storage is charged at \$4.00 per m3 per day, expenses related to the return or disposal of samples will also be charged. Current disposal costs including packaging in a Class2 waste disposal facility is charged at \$175.00 per m3.

Samples received as liquids, waters or solutions will be held for 60 days free of charge then disposed of, unless written advice for return or collection is received.

LEGEND	X	= Less than Detection Limit	NA	= Not Analysed
	SNR	= Sample Not Received	UA	= Unable to Assay
	LNR	= Lab Not Received	>	= Value beyond Limit of Method
	DTF	= Result still to come	+	= Extra Sample Received Not Listed
	I/S	= Insufficient Sample for Analysis		

UNITS	ppm for Solid Samples	= mg/Kg
	ppb for Solid Samples	= µg/Kg
	ppm for Liquid Samples	= mg/L
	ppb for Liquid Samples	= µg/L



ELEMENTS	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co
UNITS	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
DETECTION LIMIT	0.05	50	0.5	0.1	0.05	0.01	50	0.02	0.01	0.1
DIGEST	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/
ANALYTICAL FINISH	MS	MS	MS	MS	MS	MS	MS	MS	MS	MS
SAMPLE NUMBERS										
0001 URX03017R	X	2.34%	61.6	2244.1	3.62	0.15	6386	0.03	33.47	7.3
0002 URX03021RA	X	4932	5.4	1396.8	0.32	0.35	1333	X	13.91	1.0
0003 URX03021RD	X	8886	29.3	1553.3	0.62	0.45	2594	0.05	12.59	1.5
0004 URX03022R	0.13	2516	6.4	391.6	0.35	0.26	2980	0.03	7.41	0.9
0005 URX03023R	0.16	5102	18.0	1192.6	0.59	0.25	8095	0.05	7.02	4.1
0006 URX03024R	0.06	2386	6.3	1195.5	0.53	0.15	2257	0.03	5.78	0.9
0007 URX03024RA	0.06	3083	6.0	428.6	0.47	0.13	1444	X	12.52	1.1
0008 URX03031R	0.20	4.38%	45.3	663.9	1.66	0.43	1137	0.46	22.36	10.2
0009 URX03036R	0.18	2884	4.1	2555.5	0.22	0.10	1.10%	X	14.50	1.5
0010 URX03037R	0.22	1.48%	23.7	91.0	4.88	0.04	10.58%	1.08	30.56	58.6
0011 URX03038RA	0.10	3.98%	5.3	489.5	0.60	0.14	1690	X	15.66	2.4
0012 URX03038RB	0.11	4.79%	26.0	142.0	0.43	0.11	3.43%	0.04	12.26	2.2
0013 URX03039R	0.14	2.40%	23.4	343.6	3.92	0.11	3396	0.21	48.14	20.0
0014 URX03040R	0.12	2.54%	3.1	407.4	2.18	0.09	2510	0.85	15.21	12.4
0015 URX03041R	1.12	3.19%	115.4	116.9	0.94	1.26	5143	0.02	18.90	14.9
0016 URX03041S	0.08	7.48%	33.3	226.3	0.78	0.17	4.95%	X	52.35	21.0
0017 URX03042R	0.25	1.85%	12.9	259.7	8.86	0.05	3437	0.07	27.07	26.1
CHECKS										
0001 URX03040R	0.15	2.50%	3.0	405.7	2.22	0.08	2469	0.87	15.49	12.4
STANDARDS										
0001 OREAS 923	1.67	7.20%	8.2	437.4	2.38	20.32	4733	0.46	83.08	23.5
0002 OREAS 921	0.09	8.12%	5.2	544.4	2.91	1.16	5171	0.10	96.70	17.1
0003 OREAS 100a	0.27	5.82%	16.0	432.7	4.31	0.60	1.10%	0.12	456.56	17.5
0004 OREAS 600	23.81	6.55%	90.0	1780.5	1.71	6.80	1.83%	3.41	46.87	7.2
0005 MPL-5	27.30	3.05%	986.7	567.2	20.83	37.53	3.98%	2.87	496.74	131.1
BLANKS										
0001 Control Blank	X	X	X	X	X	X	X	X	X	X
0002 Control Blank	X	X	X	X	X	X	X	X	X	X



ELEMENTS	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La
UNITS	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
DETECTION LIMIT	1	0.05	0.5	0.01	0.05	0.1	0.05	0.01	20	0.01
DIGEST	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/
ANALYTICAL FINISH	MS	MS	MS	MS	MS	MS	MS	MS	MS	MS
SAMPLE NUMBERS										
0001 URX03017R	74	1.07	47.0	39.17	10.30	2.4	2.64	0.14	3124	16.68
0002 URX03021RA	25	0.92	47.3	2.82	6.43	0.7	1.22	X	1437	6.20
0003 URX03021RD	93	1.22	16.7	14.81	13.82	2.6	1.62	0.02	2198	6.97
0004 URX03022R	22	0.40	10.6	3.70	3.89	0.9	0.78	X	731	3.27
0005 URX03023R	30	0.39	21.9	4.80	6.35	0.8	1.34	X	1092	3.78
0006 URX03024R	23	0.31	8.9	3.34	3.57	0.7	0.75	X	680	2.54
0007 URX03024RA	21	0.44	8.8	2.20	3.79	0.7	0.81	X	710	7.63
0008 URX03031R	244	1.16	47.3	35.36	13.37	1.6	2.19	0.13	3437	11.72
0009 URX03036R	34	0.15	11.7	0.85	1.01	1.1	10.42	X	570	7.85
0010 URX03037R	23	0.80	15.6	22.87	2.41	2.0	0.78	0.02	2374	17.02
0011 URX03038RA	100	0.67	35.2	23.91	10.46	5.8	2.50	0.08	3157	8.82
0012 URX03038RB	56	0.56	10.9	3.82	11.94	1.3	2.94	0.03	2466	7.96
0013 URX03039R	347	0.55	127.0	42.61	8.33	1.2	1.41	0.39	3692	40.58
0014 URX03040R	59	0.88	23.6	40.92	6.79	9.1	1.72	0.08	2740	7.49
0015 URX03041R	174	1.12	27.9	31.72	9.60	2.8	1.65	0.15	3350	9.10
0016 URX03041S	54	1.99	30.2	9.15	11.26	1.3	2.15	0.10	4552	27.98
0017 URX03042R	28	1.94	22.2	45.80	1.60	0.3	0.74	0.07	2750	12.69
CHECKS										
0001 URX03040R	66	0.92	22.7	40.67	6.79	9.4	1.77	0.07	2718	7.53
STANDARDS										
0001 OREAS 923	80	6.73	4253.6	6.49	20.54	2.0	3.19	0.53	2.52%	42.23
0002 OREAS 921	102	8.68	292.1	4.48	21.37	1.9	4.74	0.11	2.94%	47.52
0003 OREAS 100a	37	2.82	171.3	4.61	22.17	0.7	4.86	0.05	3.79%	253.21
0004 OREAS 600	29	9.09	465.0	2.31	18.44	1.0	2.93	0.74	1.74%	24.58
0005 MPL-5	681	22.68	1815.4	3.46	31.00	19.8	1.26	20.08	1.02%	267.59
BLANKS										
0001 Control Blank	X	X	X	X	X	X	X	X	X	X
0002 Control Blank	X	X	X	X	X	X	X	X	X	X



ELEMENTS	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb	Rb
UNITS	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
DETECTION LIMIT	0.1	20	1	0.1	20	0.05	0.5	50	0.5	0.05
DIGEST	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/
ANALYTICAL FINISH	MS	MS	MS	MS	MS	MS	MS	MS	MS	MS
SAMPLE NUMBERS										
0001 URX03017R	3.6	1640	412	31.7	4396	5.46	8.8	8169	40.6	16.52
0002 URX03021RA	2.9	591	124	1.0	544	4.13	2.2	65	5.8	10.83
0003 URX03021RD	2.2	884	86	3.2	1212	4.33	3.7	573	12.4	16.80
0004 URX03022R	2.9	684	135	1.2	356	2.77	1.5	84	3.5	4.47
0005 URX03023R	7.5	3243	256	2.2	628	3.69	4.8	318	3.7	5.24
0006 URX03024R	3.3	840	75	0.7	331	2.24	1.8	131	2.9	4.36
0007 URX03024RA	3.6	415	80	0.6	378	2.30	2.2	128	4.0	5.29
0008 URX03031R	4.8	1704	582	58.0	4429	5.05	15.7	2670	58.4	18.38
0009 URX03036R	5.8	286	114	1.7	966	28.76	2.5	116	5.4	2.35
0010 URX03037R	7.2	2017	2077	13.4	2699	2.07	143.5	2139	5.1	12.22
0011 URX03038RA	2.6	2452	112	49.4	8178	5.49	4.5	799	9.5	13.10
0012 URX03038RB	4.5	458	91	6.8	1520	6.53	5.1	243	9.2	10.22
0013 URX03039R	2.1	898	111	72.4	479	2.81	31.3	3589	51.4	9.42
0014 URX03040R	2.6	788	343	7.1	659	3.89	20.1	1822	7.1	14.89
0015 URX03041R	6.2	652	183	25.6	1391	4.79	24.3	1710	14.9	15.16
0016 URX03041S	9.4	1351	78	13.2	3402	5.46	29.2	1340	41.3	20.15
0017 URX03042R	3.5	1513	2710	12.2	2273	2.15	36.6	3969	16.5	16.71
CHECKS										
0001 URX03040R	2.6	775	339	7.2	643	4.06	20.7	1803	8.3	14.85
STANDARDS										
0001 OREAS 923	31.0	1.70%	972	1.0	3190	13.95	36.0	616	84.5	165.77
0002 OREAS 921	30.6	1.48%	673	0.5	6339	17.65	42.8	738	28.1	185.01
0003 OREAS 100a	13.4	8243	532	22.7	1021	35.10	9.9	505	13.7	264.44
0004 OREAS 600	18.5	7598	723	2.1	5560	8.11	14.4	569	195.7	73.11
0005 MPL-5	40.0	8506	2130	19.7	5032	34.61	2262.4	668	1954.6	342.41
BLANKS										
0001 Control Blank	X	X	X	X	X	X	X	X	X	X
0002 Control Blank	X	X	X	X	X	X	X	X	X	X



ELEMENTS	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
UNITS	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
DETECTION LIMIT	0.002	0.05	0.05	0.1	0.5	0.1	0.05	0.01	0.2	0.01
DIGEST	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/
ANALYTICAL FINISH	MS	MS	MS	MS	MS	MS	MS	MS	MS	MS
SAMPLE NUMBERS										
0001 URX03017R	X	0.18	0.32	34.3	9.6	1.0	420.22	0.43	X	5.96
0002 URX03021RA	X	0.06	0.44	1.5	X	1.1	78.85	0.31	X	1.95
0003 URX03021RD	X	0.06	0.65	4.1	2.1	1.3	115.90	0.32	X	3.47
0004 URX03022R	X	X	0.31	0.8	0.9	0.7	40.32	0.19	X	1.43
0005 URX03023R	X	0.19	0.59	1.2	0.9	1.5	112.88	0.27	X	1.93
0006 URX03024R	X	0.09	0.32	0.6	X	0.6	91.05	0.15	X	1.38
0007 URX03024RA	X	X	0.34	0.9	X	1.0	70.90	0.17	X	1.50
0008 URX03031R	X	0.14	0.39	16.3	17.2	1.0	445.75	0.36	X	9.26
0009 URX03036R	X	0.90	0.56	4.7	X	2.7	245.34	2.15	X	4.52
0010 URX03037R	X	8.21	0.09	5.3	1.1	0.3	945.52	0.16	X	1.68
0011 URX03038RA	0.004	0.24	0.22	10.1	13.6	0.9	174.09	0.39	X	10.47
0012 URX03038RB	X	2.93	0.24	5.9	2.3	1.3	208.61	0.56	X	5.07
0013 URX03039R	X	0.63	0.36	68.4	29.6	0.5	566.43	0.30	X	16.12
0014 URX03040R	X	0.11	0.14	8.6	2.5	0.8	127.22	0.31	X	3.40
0015 URX03041R	X	0.53	0.37	12.2	12.1	1.1	56.95	0.37	X	7.31
0016 URX03041S	X	4.54	0.33	7.6	59.3	1.1	753.33	0.40	X	7.35
0017 URX03042R	X	0.10	0.15	6.7	4.3	0.3	207.54	0.20	X	1.93
CHECKS										
0001 URX03040R	X	0.13	0.13	8.9	3.1	0.8	126.93	0.31	X	3.34
STANDARDS										
0001 OREAS 923	X	0.74	1.28	13.1	6.6	13.3	42.89	1.14	X	16.00
0002 OREAS 921	X	0.08	1.44	14.3	0.7	5.7	80.29	1.42	X	19.46
0003 OREAS 100a	0.084	X	1.20	6.5	3.7	6.7	35.26	2.54	X	50.27
0004 OREAS 600	X	1.68	14.52	5.9	6.4	2.1	183.75	0.66	7.3	9.19
0005 MPL-5	1.520	1.08	326.54	45.7	119.5	7.0	410.87	66.34	29.7	89.73
BLANKS										
0001 Control Blank	X	X	X	X	X	X	X	X	X	X
0002 Control Blank	X	X	X	X	X	X	X	X	X	X



ELEMENTS	Ti	Tl	U	V	W	Y	Zn	Zr
UNITS	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
DETECTION LIMIT	5	0.02	0.01	1	0.1	0.05	1	0.1
DIGEST	4A/	4A/	4A/	4A/	4A/	4A/	4A/	4A/
ANALYTICAL FINISH	MS	MS	MS	MS	MS	MS	MS	MS
SAMPLE NUMBERS								
0001 URX03017R	3276	0.13	56.18	719	1.1	14.70	22	89.6
0002 URX03021RA	1586	0.09	133.84	164	2.3	3.23	6	42.3
0003 URX03021RD	1930	0.12	78.62	798	1.3	4.98	10	57.7
0004 URX03022R	1191	0.05	76.27	219	2.0	2.49	3	26.0
0005 URX03023R	1605	0.09	46.65	507	2.0	3.60	10	40.4
0006 URX03024R	900	0.04	43.28	250	0.8	2.32	4	25.4
0007 URX03024RA	962	0.04	136.35	192	1.3	2.34	4	26.7
0008 URX03031R	3141	0.14	67.01	353	0.7	6.43	63	78.1
0009 URX03036R	1.18%	0.03	3.87	41	5.3	16.20	6	352.4
0010 URX03037R	1157	0.23	24.25	209	0.4	24.34	239	28.0
0011 URX03038RA	3241	0.10	26.84	130	0.8	4.29	22	89.2
0012 URX03038RB	3564	0.08	3.76	451	0.8	4.95	11	97.4
0013 URX03039R	1692	0.08	103.65	505	0.4	4.58	119	54.6
0014 URX03040R	2410	0.11	13.41	69	0.4	7.71	39	59.3
0015 URX03041R	2503	0.26	41.84	744	0.5	5.24	87	60.0
0016 URX03041S	3210	0.54	25.59	388	0.5	7.38	17	92.1
0017 URX03042R	1192	0.10	16.04	78	0.3	30.80	110	28.1
CHECKS								
0001 URX03040R	2435	0.09	13.57	66	0.4	7.51	39	61.1
STANDARDS								
0001 OREAS 923	3927	0.83	3.12	92	5.1	25.15	359	105.3
0002 OREAS 921	4893	0.94	3.89	99	3.2	33.44	138	154.7
0003 OREAS 100a	1820	1.00	132.78	34	8.2	100.27	37	161.7
0004 OREAS 600	2404	1.12	2.71	42	3.6	9.91	600	97.0
0005 MPL-5	2379	6.35	10.71	198	25.2	22.13	1305	48.6
BLANKS								
0001 Control Blank	X	X	X	X	X	X	X	X
0002 Control Blank	X	X	X	X	X	X	X	X



METHOD CODE DESCRIPTION

Method Code Date Tested	Analysing Laboratory NATA Laboratory Accreditation	NATA Scope of Accreditation
4A/MS 03/07/24 13:03	Intertek Genalysis Perth 3244 3237 Multi-acid digest including Hydrofluoric, Nitric, Perchloric and Hydrochloric acids in Teflon Tubes. Analysed by Inductively Coupled Plasma Mass Spectrometry.	MPL_W002, MS_IM_001(Per), *(AdI), *[Tvl]

* Denotes not on Scope of Accreditation